

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

List PWS ID #s for all Water Systems Covered by this CCR

Public Water Supply Name

ASS N.

confide	deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer nce report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please .	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: <u>06/16/ 2010</u>
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: CHickes AW Jour NAL + SHOPPER
	Date Published: <u>06/16/20</u> 10
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
ā.	CCR was posted on a publicly accessible internet site at the address: www
CERTI	FICATION _
the forn consiste	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State and of Health, Bureau of Public Water Supply.
Name/	len Chilen Ob-21-2010 Title (President, Mayor, Owner, etc.) Date
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2010 JUN -7 AM 9: 07

2009 Annual Drinking Water Quality Report Houlka Houston Water Association PWS#: 0090004 June 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Houlka Houston Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Garry Turner at 662-568-7777. We want our valued customers to be informed about their water utility. If you want to learn more, please attend our regular scheduled meetings. They are held on the second Thursday of each month at 6:30 PM at Moore's Restaurant, Houston, MS.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RES	SULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG		MCL	Likely Source of Contamination
Inorganic	Contami	inants							
10. Barium	N	2008*	.034	.028034	ppm	2	2	discharge	of drilling wastes; from metal refineries; natural deposits

14. Copper	N	2008*	.1	0	ppm	1.:	3 AL=	1.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2008*	.304	.256304 ppm		4	1	4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	3	0	0 ppb		AL=	 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	2.5	1.2 – 2.5	ppb	50		50 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Volatile Or	ganic	Contam	inants					
66. Ethylbenzene	N	2009	1.71	No Range	ppb	700) 7	700 Discharge from petroleum refineries
76. Xylenes	N	2009	.0007	No Range	ppm	10		Discharge from petroleum factories; discharge from chemical factories
Disinfection	By-	Products						1444444
Chlorine	N	2009	.73	.2873	ppm	0 MDRL = 4 Water additive used to control microbes		Water additive used to control microbes

^{*} Most recent sample. No sample required for 2009.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Houlka Houston Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY CHICKASAW

Before the undersigned authority of sai appeared before <u>leves</u> <u>Nals</u> , or published in the City of Houston, Coundississippi, called the Chickasaw Journ depose and say that the publication of the made in said paper for <u>leves</u> consecution.	elerk of a public newspaper ty of Chickasaw, State of hal, who, being duly sworn, doth the notice hereto affixed has been
Vol. مِنْ No. <u>32</u> , on the مِنْ day	of June , 2010
Vol No, on the day	of (), 2010
Vol No, on the day	of, 2010
Vol, on the day	of, 2010
Vol, on the day	of, 2010
	Legal Ad Clerk
Jun	scribed to this the \(\lambda \) \(\lambda \) day of \(\lambda \), 2010 before me, the undersigned said County of Chickasaw.
F MISSION OF MISSION	By: Jan Notary Public
TERESA DOSS NICHOLS Commission Expires Feb. 5, 2014	
	Printer's Fee: 153.00

2009 Annual Drinking Water Quality Report Houka Houston Water Association PWS#: 0090004 June 2010

We're beleased to present to you this year's Annual Cuality Water Report. This report is designed to inform you about the quelity water and searches we deliver to you every day. Our constant goal is to provide you with a safe and dependance supply of drinking water. We went you to exercise the folion were make to conclusively improve the water treatment process and to the work of the resources. We are committed to ensuring the quality of your water. Our water source is from water drawing from the Eutlaw Formation Applies.

The source water assessment has been completed for our public verying system to determine the overall sunceptibility of its devicing water system. The source water assessment has been completed for our public verying system to determine the overall sunceptibility of its devicing verying supply to destrip the control is succeptibility resident to the system and provided management of the system and provided provided provided to the system and provided provide

If you have any questions about this report or concerning your water (##), please contact Garry Turner at 660-558-777, We want our valued oursonners to be informed about their water (##). If you want to learn more, please attend our regular scheduled meetings. They are held on the second Thursday of each morth at 6:30 PM at Moore's freedourant, Mouston, MS.

the second Trunneday of each morth at 6:30 PM at Moore's Resisturant, Houston, MS.

We multi-ely monitor for bonshituents in your defining water according to Referral and State laws. This table below sate at of the defining water for the state of the s

In this table you will find many ferms, and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Layer - the concentration of a conteminant which, if exceeded, triggiers treatment or other requirements which a water system must

Maximum Contaminant Lovel (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCL cs as feesible using the best available treatment as thereby.

Maximum Contaminant Level Goel (MCLG) - The "Goel" (MCLG) is the level of a contaminant in drinking water below which share is or expected risk to health. MCLGs allow for a margin of eafety.

Maximum Residual Disinfectant Event (ASSOL) — The highest level of a disinfectant allowed in directing water. There is convincing evide of a distributant is necessary for control microbial contaminants.

Mechanin Readour Districtors Lovel Goal (MRDLG) - The level of a directing water development below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of devilectants to control interchibil contaminants.

Parts per million (ppm) or Milliograms per liter (mg/l) - one pert per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (opt) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	- 72		Dat			TEST RI	ESIT.T	8				
7.5				ted Def	ovel lacted	Range of Detects or # o Samples Exceeding 64CL/ACI	T feets	no-	MCLG		MCL	Likely Source of Contamination
Inorganic	Co	ntam	inant	3		T WOUNCE						
10. Barlum	IN			-								
	_ "		2008*	.034		.028034	ppm	T	. 2	Γ	2 Discharge	of drilling wasten;
14. Copper	N	1	2008*	11		0	ppm				CITOBION OF	rom metal refinence natural deposits
: 1 · · · ·						rate and the	labout.	1	1.3	AL=1	systems; e	f household plumbin rosion of natural
16. Fluoride**	N		2008*	304	-1	.256304		1			deposits; ie preservativ	acting from wood
					, ,	*500-*004	opm		4		Erosion of natural deposits; wa additive which promotes strong teeth; discharge from fertifizer and aluminum factories	
7. Lead	- N		2008*	3	_		lay y					
	1	[8]	2000	3	- 1		pob	T	Ö	AL=15	Corresion of	household plumbing sion of natural
1. Selenium	N		2008*	2.5	-+	2-25	-	-			deposits	
			14.5				p.p6	1	60	50	metal ration	om petroleum and les; erosion of sits; discharge from
olatile O	TON	in C	on town				1	1			mines	erer mechanise nou
6. Ethylbenzene	IN	40 00	2009			1.1	<u> 1</u> 771 - 5		•			
3. Xylenes	N		2009	1.71		lo Range	ppb	T	700	700	Discharge fro	xn petroleum
				.0007	["	lo Range	ppm	T	10	10	Discharge from petroleum factories: discharge from	
isinfection	B	-Pro	ducte				1	1.			chemical fact	Dries
aktrine .	N	200		73				10.5	A. Ash			
	e. No:			**	.28 -	73 pp	m .	0	MORIL		eter addative us	ed to control

We are required to monitor your defining water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our directing water meets bealth standards. In an affort to essure systems complete all monitoring requirements, MSDH now norther systems complete all monitoring requirements, MSDH now

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in childing water is permaitly from materials and components associated with service and home plambing. Our Water association is responsible for string frequently from materials and components associated with service and home plambing. Our Water association is responsible for string for services lours; you can midnize the potential for lead of operating our legs for 30 seconds to 2 minutes before using for services providing or cooling. If you are concerned about lead in your water, you may with in have your wester tested, information lead in children rester, sesting methods, and steps you can take to maintaine exposure is available from the Safe Drinking Water Hottine or at Please contact 601.576.7502 if you wish to have your water of Health Public Health Laboratory offers lead testing for \$10 per sample.

All sources of dehicing water are subject to potential contamination by substances that are naturally occurring or main made. These substances can be microbes, inotignately or organic chamicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least terms amounts of cores contaminants. This presence of contaminants sides not reconscript including products and product of contaminants and products are contaminated by calling the Environmental Protection 49 of the contamination of the cont

Some people may be more visinerable to contemistaris in chicking water than the general population, immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergoene organ transpleats, people with HIV/AIDS or other immuno disorders, some olderly, and infants can be particularly at risk from infections. These people should seek achieve about displaying water from their least one providers. EPA/CDC guidelines on appropriate means to lesses the risk of infection by ciryptosportifium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-900-426-4791.

The Houke Houston Water Association works around the clack to provide top quality water to every tep. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{*} Most recent sample. No sample required for 2009.

* Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

Journal Publishing/Houston

Publishers of the Chickasaw w Journal & Shopper Plus Post Office Box 629 Houston, MS 38851 (662) 456-3771 or 1-888-456-3771

Business	Houlka-Houston Water Association	
Attention	Garry Turner	,
Address	107 Hwy. 32 West	
City, State, Zip	Houlka, MS 38850	
Acct. #	32006640	

Pub Date	Description	Inches/Qty.	Rate	Tax	Amount
16-Jun	Water Report	2x9	8.5		\$ 153.00
				W	
		·			
				····	·
Totals					\$ 153.00